



Welcome United States Patent and Trademark Office

[Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Wed, 8 Nov 2006, 7:38:38 PM EST

Edit an existing query or
compose a new query in the
Search Query Display.

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- #1 ((error<in>metadata) <and> (critical<in>metadata))<and>
 (usable<in>metadata)
- #2 ((error<in>metadata) <and> (critical<in>metadata))<and>
 (limit<in>metadata)
- #3 ((error<in>metadata) <and> (usable<in>metadata))<and>
 (substitute<in>metadata)
- #4 ((error<in>metadata) <and> (substitute<in>metadata))<and>
 (idle<in>metadata)
- #5 ((critical<in>metadata) <and> (limit<in>metadata))<and>
 (substituting<in>metadata)
- #6 ((error<in>metadata) <and> (usable<in>metadata))<and>
 (mirror<in>metadata)
- #7 ((erroneous<in>metadata) <and> (usable<in>metadata))
 <and> (substituting<in>metadata)
- #8 ((fault<in>metadata) <and> (usable<in>metadata))<and>
 (substituting<in>metadata)
- #9 ((errors<in>metadata) <and> (critical<in>metadata))<and>
 (usable<in>metadata)

Indexed by
 Inspec

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(error with critical\$3) same (usable usability) with (memory area)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:08
L2	0	1 same (substitut\$3 adj (memory area))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:09
L3	0	1 and (substitut\$3 adj (memory area))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:09
L4	0	1 same (idle idling)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:09
L7	982	711/156.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:10
L8	0	L7 and usable same error\$1 same (mirror\$3 substitut\$3 swap\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:10
L9	23	L7 and erro\$5 same (mirror\$3 substitut\$3 swap\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:10

EAST Search History

L10	25125733	@ad<"20031126"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:11
L11	18	L9 and L10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:11
L12	0	erro\$5 near3 state\$1 same usable same (mirror\$3 substitut\$3 swap\$4) same test\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:11
L13	5	error\$1 same critical same usable same (mirror\$3 substitut\$3 swap\$4) same test\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:11
L14	0	(state\$1 mode\$1) near3 error\$1 same critical same usable same (mirror\$3 substitut\$3 swap\$4) same test\$3 and BIST	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:11
L15	1	state\$1 same error\$1 same critical same usable same (mirror\$3 substitut\$3 swap\$4) same test\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:11
L16	0	ad@<"20031126"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:11

EAST Search History

L17	1966	(error\$1 fault\$1) same state\$1 same usable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:11
L18	233	erro\$5 same state\$1 same critical same limit\$2 same test\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:13
L19	26	L18 and L10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:11
L20	136	(error\$1 fault\$1) same state\$1 same usable same (mirror\$3 substitut\$3 swap\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:11
L21	25	(error\$1 fault\$1) same state\$1 same usable same condition same (mirror\$3 substitut\$3 swap\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:11
L22	3	erro\$5 near3 state\$1 same critical same (mirror\$3 substitut\$3 swap\$4) same test\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:11
L23	13	L20 and L10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:11

EAST Search History

L24	4	L7 and usable same (mirror\$3 substitut\$3 swap\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:11
L25	3	(error with critical\$3) same (usable usability) with (memory area region)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:11
L26	0	L25 same (substitut\$3 mirror\$3 replac\$5 swap\$5) adj (memory area region)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:11
L27	0	L25 and L26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:11
L28	0	L25 same (idle idling)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:11
L29	0	L25 and L28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:11
L30	873	(erro\$5 fault\$1) same (usable usability) with (memory area region)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:11

EAST Search History

L31	15	L30 same (substitut\$3 mirror\$3 replac\$5 swap\$5) adj (memory area region)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:11
L32	0	L31 and (idle idling)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:11
L33	0	L25 and L28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:11
L34	0	L25 and L26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:11
L35	1467	711/100.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:13
L36	649	711/104.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:14
L37	1146	711/105.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:14

EAST Search History

L38	2401	711/154.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:14
L39	860	711/165.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:14
L40	2376	711/170.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:14
L41	0	(35 36 37 38 39 40) and 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:15
L42	29	(35 36 37 38 39 40) and 30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:17
L43	24	42 and @ad<"20031126"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:18
L44	0	43 and (substitut\$3 mirror\$3 swap\$4 replac\$5) same (idle idling)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:19

EAST Search History

L45	4	43 and (idle idling)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:21
L46	16399	shibuya.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:23
L47	5	46 and (35 36 37 38 39 40)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:22
L48	9	46 and usable.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:22
L49	0	47 and (usable critical limit).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:22
L50	448	shibuya.in.	US-PGPUB	OR	OFF	2006/11/08 19:23
L51	2	50 and (35 36 37 38 39 40)	US-PGPUB	OR	OFF	2006/11/08 19:24
L52	7	50 and (usable).clm.	US-PGPUB	OR	OFF	2006/11/08 19:24
L53	3	50 and (critical).clm.	US-PGPUB	OR	OFF	2006/11/08 19:24
S1	0	(state\$1 mode\$1) near3 error\$1 same critical same usable same (mirror\$3 substitut\$3 swap\$4) same test\$3 and BIST	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 19:09

EAST Search History

S2	1	state\$1 same error\$1 same critical same usable same (mirror\$3 substitut\$3 swap\$4) same test\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 19:10
S3	5	error\$1 same critical same usable same (mirror\$3 substitut\$3 swap\$4) same test\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 19:10
S4	0	erro\$5 near3 state\$1 same usable same (mirror\$3 substitut\$3 swap\$4) same test\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 19:10
S5	3	erro\$5 near3 state\$1 same critical same (mirror\$3 substitut\$3 swap\$4) same test\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 19:14
S6	233	erro\$5 same state\$1 same critical same limit\$2 same test\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 19:15
S7	0	ad@<"20031126"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 19:15
S8	25125733	@ad<"20031126"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 19:15

EAST Search History

S9	26	S6 and S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 19:16
S10	1966	(error\$1 fault\$1) same state\$1 same usable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 19:17
S11	25	(error\$1 fault\$1) same state\$1 same usable same condition same (mirror\$3 substitut\$3 swap\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 19:22
S12	136	(error\$1 fault\$1) same state\$1 same usable same (mirror\$3 substitut\$3 swap\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 19:22
S13	13	S12 and S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 19:26
S14	982	711/156.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 19:27
S15	0	S14 and usable same error\$1 same (mirror\$3 substitut\$3 swap\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 18:53

EAST Search History

S16	4	S14 and usable same (mirror\$3 substitut\$3 swap\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 19:30
S17	23	S14 and erro\$5 same (mirror\$3 substitut\$3 swap\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 19:33
S18	18	S17 and S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 19:33
S19	3	(error with critical\$3) same (usable usability) with (memory area region)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 18:55
S20	0	S19 same (substitut\$3 mirror\$3 replac\$5 swap\$5) adj (memory area region)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 18:56
S21	0	S19 same (idle idling)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 18:54
S22	0	S19 and S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 18:55

EAST Search History

S23	0	S19 and S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 18:55
S24	873	(erro\$5 fault\$1) same (usable usability) with (memory area region)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 18:56
S25	0	S19 and S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 18:56
S26	0	S19 and S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 18:56
S27	15	S24 same (substitut\$3 mirror\$3 replac\$5 swap\$5) adj (memory area region)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 18:58
S28	0	S27 and (idle idling)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 18:58